



HEAVY DUTY PERFORMANCE

All Type Automatic Cleaning Solution

- ✓ Professional-Grade Car Wash & Cleaning Equipment
- ✓ Industrial-Grade Performance for Demanding Applications
- ✓ Engineered for Commercial, Automotive & Industrial Operations



ENGINEERED FOR POWER & PERFORMANCE

www.blueshines.in



ABOUT COMPANY

BLUE SHINE INDIA PVT. LTD. is a leading provider of Professional Cleaning, Hydro Testing, Hydro Blasting and Industrial Maintenance Solutions. We specialize in delivering advanced cleaning technologies and customized solutions for industrial, commercial and infrastructure applications. Our Core Solutions include Mist Nozzle Systems, Hydro Testing Solutions, Hydro Blasting Solutions, Industrial Cleaning Solutions, Floor Cleaning Solutions, Hotel & Hospitality Cleaning Solutions, Fruit & Food Processing Industry Solutions, High Pressure Cleaning Systems and Customized Industrial Maintenance Solutions. We serve Manufacturing Industries, Food Processing Industries, Fruit Processing Industries, Hotels & Hospitality Sector, Warehouses & Logistics Centers, Commercial Buildings, Industrial Plants and Infrastructure Projects. With advanced technology, reliable equipment, experienced technical support and customer-focused service, BLUE SHINE INDIA PVT. LTD. is committed to delivering efficient, safe and cost-effective cleaning and maintenance solutions across India. Our mission is to provide innovative solutions that enhance productivity, operational efficiency and long-term performance for every industry we serve.

RE-NO Smart



BLUESHINE PRESSURE WASHING



Model No :
XD-11/17
Code - 23485

3HP
SINGLE
PHASE



Hose Pipe
10 mtr



Gun with Quick
Coupler System




Water Filter



500mm
Lance



Short
Lance



nozzle

TECHNICAL SPECIFICATIONS



PUMP
11/17



BAR
120-150



PSI
1600



Max Flow
(LPM) 11



Max Flow
(GPM) 2.64



POWER
(HP) 3



POWER
(KW) 2.2



RPM
1450



VOLT
(V) 230



VERSION
C

STANDARD ACCESSORIES

Model No :
XD-13/17
Code - 23775

4HP
SINGLE
PHASE



Hose Pipe
10 mtr



Gun with Quick
Coupler System




Water Filter



500mm
Lance



Short
Lance



nozzle

TECHNICAL SPECIFICATIONS



PUMP
13/17



BAR
130-170



PSI
1900



Max Flow
(LPM) 13



Max Flow
(GPM) 3.2



POWER
(HP) 4



POWER
(KW) 3



RPM
1450



VOLT
(V) 230



VERSION
C

STANDARD ACCESSORIES

RE-NO Smart



BLUESHINE PRESSURE WASHING



Model No :
XD-18/16

Code - 23774

5.5HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
18/16



BAR
180-200



PSI
2600



Max Flow
(LPM) 18



Max Flow
(GPM) 3.7



POWER
(HP) 5.5



POWER
(KW) 4



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
15 mtr



Gun with Quick
Coupler System




Water Filter



500mm Lance
with QRC



Fan Jet Nozzle



Nozzle

Model No :
XD-15/25

Code - 24934

7.5HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
15/25



BAR
220-250



PSI
3800



Max Flow
(LPM) 15



Max Flow
(GPM) 3.96



POWER
(HP) 7.5



POWER
(KW) 5.5



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
15 mtr



Gun with Quick
Coupler System




Water Filter



900mm Lance
with QRC



Short
Lance



Nozzle

www.blueshines.in



Model No :
BS-12/17
Code - 121717

4HP
THREE
PHASE



Hose Pipe
10 mtr




Gun with Quick
Coupler System



Inlet pipe
2 meter



Water Filter



nozzle

TECHNICAL SPECIFICATIONS



PUMP
12/17



BAR
130-170



PSI
1900



Max Flow
(LPM) 12



Max Flow
(GPM) 3.96



POWER
(HP) 4



POWER
(KW) 3.2



RPM
1450



VOLT
(V) 380



VERSION
C

STANDARD ACCESSORIES

Model No :
BS-12/17
Code - 121718

4HP
SINGLE
PHASE



Hose Pipe
10 mtr




Gun with Quick
Coupler System



Inlet pipe
2 meter



Water Filter



nozzle

TECHNICAL SPECIFICATIONS



PUMP
12/17



BAR
130-170



PSI
1900



Max Flow
(LPM) 12



Max Flow
(GPM) 3.96



POWER
(HP) 4



POWER
(KW) 3.2



RPM
1450



VOLT
(V) 230



VERSION
C

STANDARD ACCESSORIES



Model No :
BS-26/15
Code - 121719

7.5HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
26/15



BAR
150-170



PSI
2200



Max Flow
(LPM) 26



Max Flow
(GPM) 6



POWER
(HP) 7.5



POWER
(KW) 5.5



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
15 mtr



Gun with Quick
Coupler System




Water Filter



900mm Lance
with QRC



Short
Lance



Nozzle

Model No :
BS-15/25
Code - 121720

7.5HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
15/25



BAR
200-250



PSI
3600



Max Flow
(LPM) 15



Max Flow
(GPM) 3.96



POWER
(HP) 7.5



POWER
(KW) 5.5



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
15 mtr



Gun with Quick
Coupler System




Water Filter



900mm Lance
with QRC



Short
Lance



Nozzle

RE-NO Smart



BLUESHINE PRESSURE WASHING

Model No :
RGX-22/50
Code - 121722

30HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
22/50



BAR
500



PSI
7250



Max Flow
(LPM) 22



Max Flow
(GPM) 6



POWER
(HP) 30



POWER
(KW) 22



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
30 mtr



Gun with Quick
Coupler System




Water Filter



900mm
Lance



Short
Lance



Nozzle

Model No :
SXW-21/35
Code - 121723

20HP
THREE
PHASE



TECHNICAL SPECIFICATIONS



PUMP
21/35



BAR
350



PSI
5100



Max Flow
(LPM) 21



Max Flow
(GPM) 6



POWER
(HP) 20



POWER
(KW) 15



RPM
1450



VOLT
(V) 380



VERSION
N

STANDARD ACCESSORIES



Hose Pipe
30 mtr



Gun with Quick
Coupler System




Water Filter



900mm
Lance



Short
Lance



Nozzle

RE-NO Smart



BLUESHINE PRESSURE WASHING

PUMP DESCRIPTION


- Wrought copper pump head is stronger

- Equipped with water inlet and outlet check valveLarger water flow channel

- Ultra-thick ceramic plungerHave better durability

- Double gasket sealing system

- Double port oil seal



- Pump body with thick lines texture

- Top qualityOversized tapered ball bearings

- Super large with extended cross-sectionSize axis can be betterCooperate with torque transmission

- Larger connecting rodSpecially made of alloy with low friction coefficient

- Oversized plungerEnsure smoother sliding and better oil tightness

Model No :

ROBOTIC UNDERBODY WASH

Code - 121724

TECHNICAL SPECIFICATIONS

PARAMETER	9 NOZZLE U.B.	3 NOZZLE U.B
High Pressure Triple Ceramic Plunger Pump	40 LPM.	21 LPM.
Pressure	100 bar	150 bar
Power Requirement	10 HP/7.5 kw	7.5 HP/5.5 kw
Power Consumption	0.3 Unit	0.2 Unit
Water Consumption Per Vehicle fo Under	35-40 Ltrs	16-21 Ltrs
Total time for undercarriage	1 Min	1 Min
Maximum Washing Lengh	5.8 Mtr.	5.8 Mtr.
Maximum Washing Width	2.2 Mtr.	2.2 Mtr.



WET & DRY VACUUM CLEANER




Model - BS 70, 2 Motor

Parameter	- Details
Model	- BS 70/2
Type	- Wet & Dry Vacuum Cleaner
Motor	- 2 x 1500 W (Double Motor)
Total Power	- 3000 W
Voltage	- 220-240 V ~ 50/60 Hz
Cooling System	- By-Pass
Waterlift	- 2400 mm H ₂ O
Air Flow Rate	- 106 L/s (Approx.)
Tank Capacity	- 70 Litres
Tank Material	- Stainless Steel Drum
Noise Level	- ≤ 78 dB
Cable Length	- 5 Meter
Suction Hose Length	- 4 Meter Hose
Hose Diameter	- Ø 40 mm
Weight	- Approx. 23 Kg
Dimensions	- 600 x 500 x 900 mm (L x W x H)
Runtime	- 45 Mint



Cleaning Application



2pcs SS tubes



4m hose



Floor Tool Wet



Floor Tool Dry



Dust Bag filter



Round brush




Crevice Tool

Model - BS 80, 3 Motor

Parameter	- Details
Model	- BS 80/3
Type	- Wet & Dry Vacuum Cleaner
Motor	- 3 x 1500 W (Triple Motor)
Total Power	- 4500 W
Voltage	- 220-240 V ~ 50/60 Hz
Cooling System	- By-Pass
Waterlift	- 2500 mm H ₂ O (Approx.)
Air Flow Rate	- 160 L/s (Approx.)
Tank Capacity	- 80 Litres
Tank Material	- Stainless Steel Drum
Noise Level	- ≤ 80 dB
Cable Length	- 5 Meter
Suction Hose Length	- 4 Meter Hose
Hose Diameter	- Ø 40 mm
Weight	- Approx. 28 Kg
Dimensions	- 630 x 550 x 1000 mm (L x W x H)
Runtime	- 45 Mint



Cleaning Application



2pcs SS tubes



4m hose



Floor Tool Wet



Floor Tool Dry



Dust Bag filter



Round brush



Crevice Tool

WET & DRY VACUUM CLEANER




Model - BS 35, 1 Motor

Parameter	- Details
Model	- BS 35/1
Type	- Wet & Dry Vacuum Cleaner
Motor	- 1 x 1500 W (Single Motor)
Total Power	- 1500 W
Voltage	- 220-240 V ~ 50/60 Hz
Cooling System	- By-Pass
Waterlift	- 1800 mm H ₂ O (Approx.)
Air Flow Rate	- 74 L/s (Approx.)
Tank Capacity	- 35 Litres
Tank Material	- Stainless Steel Drum
Noise Level	- ≤ 70 dB
Cable Length	- 5 Meter
Suction Hose Length	- 4 Meter Hose
Hose Diameter	- Ø 40 mm
Weight	- Approx. 16.2 Kg
Dimensions	- 390 x 390 x 705 mm (L x W x H)
Runtime	- 45 Mint



Cleaning Application



2pcs SS tubes



2.5m hose



Floor Tool Wet



Floor Tool Dry



Dust Bag filter



Round brush



Crevice Tool

Model - BS 70, 2 Motor

Parameter	- Details
Model	- BS 70/2
Type	- Wet & Dry Vacuum Cleaner
Motor	- 2 x 1500 W (Double Motor)
Total Power	- 3000 W
Voltage	- 220-240 V ~ 50/60 Hz
Cooling System	- By-Pass
Waterlift	- 2400 mm H ₂ O (Approx.)
Air Flow Rate	- 106 L/s (Approx.)
Tank Capacity	- 70 Litres
Tank Material	- Plastic Drum
Noise Level	- ≤ 78 dB
Cable Length	- 5 Meter
Suction Hose Length	- 4 Meter Hose
Hose Diameter	- Ø 40 mm
Weight	- Approx. 28 Kg
Dimensions	- 630 x 550 x 900 mm (L x W x H)
Runtime	- 45 Mint



Cleaning Application



2pcs SS tubes



4m hose



Floor Tool Wet



Floor Tool Dry



Dust Bag filter



Round brush



Crevice Tool



Make by India

Car washing lift



Make by India

Scissor lift



Steam Machine



Tool Cart Detailing



Rotating Boom 360°



Pump RR-C



Pump RR-N



Pump RC-C



Pump RC-N



Gear Bell Housing



Motor - N



Motor - C



Hand Blower



DA Polisher



Foam Bottle



Water Filter Big



Water Filter Small



4 Nozzle Underbody Lance




350 Bar

Gun with Quick Coupler



200 Bar

Gun with Quick Coupler




Brass

Gun with Quick Coupler



Lance



Nozzle



VRT 3 Unloader




BS 25 Unloader

CAR WASH CHEMICALS



- ✓ DASHBOARD POLISH
- ✓ HIGH FOAM SHAMPOO
- ✓ INTERIOR CLEANER
- ✓ GLASS CLEANER
- ✓ PREMIUM WAX
- ✓ TYRE SHINE
- ✓ TAR REMOVER
- ✓ ENGINE CLEANER



Presence in India

J & K | Punjab | Rajasthan
Delhi | Uttar Pradesh | Maharashtra
Gujarat | Madhya Pradesh | Chhattisgarh
Andhra Pradesh | Karnataka | Tripura
Tamil Nadu | Telangana | Kerala | Mizoram
West Bengal | Bihar | Odisha | Assam
Arunachal Pradesh | Goa | Uttarakhand
Sikkim | Manipur | Meghalaya

Other Country

Nepal | Bhutan | Saudi Arabia

AUTHORISED DEALER